

Innovative Globetek Private Limited.

Innovative Globetek Private Limited . is an enterprise in the field of Product & System integration of world class products of by Design, Engineering, of Customized solutions for Sliding doors and Windows and Installation of the same at customer premises

Innovative Globetek is the **AUTHORIZED BUSINESS PARTNER** of Mantion Sliding Solution in India.


MANTION SAS

Mantion SAS (France) designs and manufactures sliding systems, glass doors, shutters, gates, and accessories such as stops, hinges, shutters-stays, locks, handles and other building products.

All the Mantion products are manufactured as per **EN 1527 Standard**. Every single system is rigorously tested to meet the highest requirements of international standards.

Reg. office: Innovative Globetek Private Limited , Dr Honnappa Farm, Gottigere Post, Bannerghatta Road, Bangalore 560083. T Mob: +91 9482 111 666 ,Email: gottigere@innovativeglobetek.com, Contact Person : Gottigere H Sridhar







DOOR STRENGTH RELIABILITY SAFE DURABILITY DOOR SAFE RELIABILITY STRENGTH SAFE DOOR DURABILITY SAFE RELIABILITY







CANTILEVER GATES

- ✓ Available in manual and motorization modes
- ✓ No track on the ground
- ✓ No risk of wear or deformation due to weather changes
- ✓ The gates can be installed on non-stabilized ground (grass, gravel, mould)

BOTTOM SLIDING GATES

- Choice of wheel depends on the weight of the gate
- ✓ Cast iron wheels for round or square tracks
- ✓ Steel wheels on round and triangular tracks





GATES MOUNTED ON PIVOTS AND HINGES

✓ Pivots with fastener for gates upto 80kg

GlobeTek

- ✓ Adjustable hinge to weld
- ✓ Gates can be mounted on pivots with ball bearings



Sliding Door Hardware

- √ Top Hung System
- ✓ Can be Integrated to Industrial Sheds
- ✓ Aircraft Hangers, Theater back drops
- ✓ upto 5000 Kg per Door hardware
- ✓ Compact robust design Galvanized Steel and Stainless Steel



WIBAT APPLIQUE ARM DRIVE

- ✓ Capacity per panel: 50 Kg and 1.6 M² Max Motor type: Motorized arm
- ✓ A single button to close all the shutters using wireless and wired remote control
- ✓ It is possible to stop shutters in half-open position
- ✓ WIBAT suitable for all types of swinging shutters



WIN SLIDER

- ✓ Capacity per panel: 80Kg to 120Kg
- Possible configuration: Manual travel / Synchronized or Motorized travel
- ✓ Panel types: Wood, Aluminum, PVC Track: Aluminum





- ✓ Capacity per panel: 50 Kg and 1.6 M² Max Motor type: Motorized Hinge Pin
- ✓ Open shutters without needing to open the windows
- Regular and smooth opening, more comfortable and long lasting, which can be adjusted to the required opening angle
- ✓ Equipped with obstacle detection for personal safety









SAF AUTO SOFT CLOSE

- ✓ Sliding doors with automatic soft close feature
- ✓ Opening is manual and closing is automatic without use of power
- √ Same set of common accessories for wooden and glass doors
- ✓ Motorization does not require photo beam sensor



MOTORIZED SYSTEM FOR SINGLE DOORS OF UPTO 80KG

- ✓ Adjustable opening and closing speed with automatic time delay for closing
- ✓ Electronic locking of door possible
- ✓ Compatible with presence detector



MANUAL STRAIGHT SLIDING DOOR SYSTEMS FOR FRAMELESS GLASS

- ✓ Straight sliding system for glass doors of 8/10/12mm thickness
- ✓ No need to drill the glass since clamps are used









Innovative Globetek Private Limited.

Innovative Globetek Private Limited . is an enterprise in the field of Product & System integration world class products of by Design, Engineering, of Customized solutions for Sliding doors and Windows and Installation of the same at customer premises

Innovative Globetek is the **AUTHORIZED BUSINESS PARTNER** of Deutschtec Gmbh, Germany Automatic Sliding, swing and revolving Doors in India.

DEUTSCHTEC Gmbh Germany

Deutschtec Gmbh. Germany is the leaders in the Automatic Glass door Manufacturer of Standard Sliding Doors, Revolving Door, Sliding Door for Escape Routes door, Sliding Break-out Door, Sliding Curved Door Hygiene Doors, Sliding Telescopic Doors, Swing Doors, Including the Thermal insulated Doors and windows

Reg. office: Innovative Globetek Private Limited , Dr Honnappa Farm, Gottigere Post, Bannerghatta Road, Bangalore 560083. T Mob: +91 9482 111 666 ,Email: gottigere@innovativeglobetek.com, Contact Person : Gottigere H Sridhar



Standard Sliding Doors

- √ Capacity 200 Kg Double leaf
- ✓ Maximum Weight 2 X 150 Kg
- ✓ Maximum Power: 250 watts
- ✓ Maximum Cycle width 2.2 Ah Battery : 400 Hours
- ✓ Open/Close Speed: upto 550 mm/sec



Revolving Doors

- ✓ Doors which are open and yet close all the time!
- ✓ No of Leafs: 3 leafs or 4 leafs.
- ✓ Opening Diameter Min 2000 mm Max 3800mm
- ✓ Height upto 3000 MM
- ✓ Profile : Aluminum and you choice of color
- ✓ Radar sensors are used to observe the areas inside





Hygiene Doors, Hermitic Door

- ✓ The hermetically sealing sliding door has been specifically designed for use in areas where hygiene and the control of air leakage is critical
- ✓ Opening width double panel upto 3000 mm
- ✓ CE Conformity Yes
- ✓ Max leaf weight, double leaf 2 X 150 Kg
- ✓ Lock monitoring







Swing Door

- ✓ Double swing with or without master/slave function
- √ safety is of crucial importance to us
- ✓ Maximum Power: 67 watts
- ✓ Automatic operation , Continuously open
- ✓ Manual operation ,Automatic reverse



Sliding Break-out Doors

- ✓ In times when a mechanical system for emergency exit is required or in places where there might be a need for full opening of the door
- ✓ Max leaf weight: 1x200Kg / 2x150Kg
- ✓ Opening width double panel 3000 mm
- ✓ Profile : Aluminum and you choice of color
- √ Radar sensors are used to observe the areas inside





- √ The hermetically sealing sliding door has been specifically designed for use in areas where hygiene and the control of air leakage is critical
- ✓ Opening width double panel upto 3000 mm
- ✓ CE Conformity Yes
- ✓ Max leaf weight, double leaf 2 X 150 Kg
- ✓ Lock monitoring







TOSTEM

Innovative Globetek Private Limited.

Innovative Globetek Private Limited . is an enterprise in the field of Product & System integration world class products of by Design, Engineering, of Customized solutions for Sliding doors and Windows and Installation of the same at customer premises. Innovative Globetek is the **AUTHORIZED BUSINESS PARTNER** of **LIXIL Window System Private Limited** Sliding, swing windows and doors for residential and High rise buildings.

LIXIL Window System Private Limited

LIXIL Window System Private Limited is the leaders in the Aluminum Profile window and door Manufacturer, TOSTEM, Thailand - is One of the Largest Window Factories in the World! This plant caters Pre-engineered

Windows to Japan and other Asian countries. windows and doors come in a variety of sturdy frames to offer you effortless maintenance, years of satisfied use and of course, a great view.

Reg. office: Innovative Globetek Private Limited , Dr Honnappa Farm, Gottigere Post, Bannerghatta Road, Bangalore 560083. T Mob: +91 9482 111 666 ,Email: gottigere@innovativeglobetek.com, Contact Person : Gottigere H Sridhar



Pre Engineered Window

Combining smart design profiles and high quality for both luxury residential and commercial projects.

Sliding and Folding Door

✓ Filling the needs in the high rise market. WE Plus is a smart choice, coming with very reliable quality.



Exterior Doors,

✓ The hermetically sealing sliding door has been



TOSTEM




Various Configartions

WINDOW

Stiding Window (2 panels on 2 tracks)



- Available in SG and IG unit.
- Belect panel position from L/N
 Single since 5L/N available
- Hamble option




WINDOW

Stiding Window (3 penels on 2 tracks) SFS




. Resistle in 55 and 15 uint * Handle option



Sliding Window (4 panels on 2 tracks)




+ Avoidable In TIS and IS and + Harrote sption



FDC Window

- . For oversize fix of notices, please occupit with our technicles



29

TOSTEM




Various Configartions

WINDOW

Corner FIX Window

- Only available in SQ.
- . Only available with sealant finish
- . Both infortward corner available.



WINDOW

Casament Window

- Assitable by SG and IG unit
- In case of glass thickness over 5 mm and IG unit please consult with our technicise
- Select from L/R.




Awning Window

- Australia in Stituted (Study)
- In case of IG, please consult with our technician for vice and performance



Casement Window (with hinge):

- Assilable in SG and IG unit
- Select from L/R.




30



34.

Various Configartions



TOSTEM



Approved Vendor

With MES For Electric Fence

THANK YOU



Gottigere H Sridhar

Mob: 94821 11666

gottigere@innovativeglobetek.com

Innovative GlobeTek Pvt. Ltd.

Dr. Honnappa Farm, Gottigere Post, Bannerghatta Road, Bangalore 560083

Tel: 91-80-2578 0851/2

www.innovativeglobetek.com

Elevators

Fencing Solutions

Architectural Fabrication